

Thermal Systems
Tube & Fin Heat Exchanger
Oil/Water Coolers
Shell & Tube Heat Exchanger







be different.
make a difference.




Function

The asa hybrid Shell & Tube series represents a major development of shell and tube heat exchangers for a wide range of industrial applications. Its innovative hybrid design with finned tubes provides an expanded cooling surface area, while the bonnets can be easily removed to perform effortless cleaning of the waterside, thus maintaining the highest operational efficiency. The primary benefit of this design lies in its superior heat exchange performance when compared to other types of heat exchangers, coupled with its versatile applicability that is less dependent on the quality of the fluid that is used. We supply single or more pass configurations as well as different material combinations.


Design

The tubes in the bundle are rotary expanded on both ends in a tube sheet and inserted into a bigger tube (shell) for heat exchanging purposes. Aluminium fins are pushed over the tube bundle and friction-locked together for substantially increasing the heat exchange surface, if compared to a "smooth tube" shell and tube designs. The end flanges are sealed with a gasket and the connection to the waterside is implemented in the bonnet. One fluid flows through the inner tubes (the tube side) and the other through the outer tube (shell side). The heat transfers from one fluid to the other through the fins and the tube walls. With this innovative design, the asa Hybrid series offers enhanced performance with a compact footprint.





Apart from different sizes we offer one-pass, two pass and four pass configuration:



This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by 4-15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-VL, General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified to the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any intrinsic product values are checked to the best of our




Material and Limits

Depending on the projected application we offer different material configurations to all of our ST series modules.

Materials	Α	В
shell	carbon steel	carbon steel
tube sheet	carbon steel	copper/nickel 90/10
tube	copper	copper/nickel 90/10
bonnet	cast iron	admiralty brass + zinc anode
extended fins	aluminium	aluminium
mounting brackets	carbon steel	carbon steel
Norking pressure		
shell side (oil side)	max. 290 PSI *	
tube side	max. 145 PSI	
Max. working temperature		
oil	248°F	
water	212°F	

^{*} Valid only for liquids (oil) from group 2, of PED 2014/68/EU

Order Code



1 Product Series

Ι	Industrial Application
L	Heat exchanger
W	Oil/Water cooling

2 Product Series

ST shell tube cooler series

3 Tube diameter

hybrid	brid with fin		
С	0.20 in tube \emptyset — with fin / only shell 02, 03 & 05		
D	0.37 in tube \emptyset — with fin / only shell 05, 06 & 08		

4 Material configuration

Α	Oil/Water configuration A
В	Oil/Water configuration B
	any other configuration and material

5 Shell connection / compatible bonnet connection

В	BSP thread / only with BSP bonnet
N	NPT cone thread / only with NPT bonnet
U	SAE o-ring (UNF) / only with NPT bonnet
S	4-bold SAE flange / only with NPT bonnet
F	Pipe flange (on request) / only with pipe flange bonnet

6 Bonnet connection

В	BSP thread
Ν	NPT cone thread
F	Pipe flange (on request)

7 Shell inner diameter / compatible tube lengths)

02	2.36 in / only with 8 & 10
03	3.15 in / only with 14 & 24
05	4.92 in / only with 24 & 36
06	5.91 in / only with 24, 36 & 48
08	7.87 in / only with 36, 48, & 60

8 Tube length

08	8 in
10	10 in
12	12 in
14	14 in
18	18 in
24	24 in
36	36 in
48	48 in
60	60 in

9 Flow passes

1	One pass
2	Two pass
4	Four pass

10 Gasket material

F	Compressed fiber (standard)
Р	PTFE (on request)
Ν	NBR (on request)
V	Viton / FPM (on request)


11 Index /customized

1	11 mdex / customizeu			
	U00	Standard US sales kit		
	UXX	To be advised by asa		

This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by 4-15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-VL, General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified to the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any intrinsic product values are checked to the best of our



ONE PASS



SAE Flange	X	Υ	Z
1 ½"	1.42	2.76	M12
2"	1.69	3.07	M12
3"	2.44	4.17	M16

Dimension

order number	А	В	С		D	Е	F	G	I	J	K	K L		М	weight
	[in]	[in]	Thread BSPP/ NPT [in]	Flange SAE [in]	Ø [in]	[in]	[in]	[in]	[in]	BSPP/ NPT	slot [in]	BSPP/ NPT	SAE	BSPP	[lbs]
TLWSTCA02081FU00	10.39	3.86	3.90	n/a	2.56	10.43	2.52	3.50	1.61	3/4"	0.35x0.63	3/4"	n/a	n/a	6.6
ILWSTCA02101FU00	12.40	5.87	3.90	n/a	2.56	12.44	2.52	3.50	1.61	3/4"	0.35x0.63	3/4"	n/a	n/a	8.8
ILWSTCA03081FU00	11.14	2.99	5.47	5.71	3.50	10.71	2.99	5.00	2.60	1 1/4"	0.43X0.75	1 ½"	1 ½"	1/4"	15.4
ILWSTCA03141FU00	17.13	8.98	5.47	5.71	3.50	16.69	2.99	5.00	2.60	1 1/4"	0.43X0.75	1 ½"	1 ½"	1/4"	19.8
ILWSTCA03181FU00	21.14	12.99	5.47	5.71	3.50	20.71	2.99	5.00	2.60	1 1/4"	0.43X0.75	1 ½"	1 ½"	1/4"	22.0
ILWSTCA03241FU00	27.13	18.98	5.47	5.71	3.50	26.69	2.99	5.00	2.60	1 1/4"	0.43X0.75	1 ½"	1 ½"	1/4"	26.5
ILWSTCA05181FU00	21.34	12.20	7.48	8.11	5.00	21.46	4.02	6.50	4.02	1 ½"	0.43x0.98	1 ½"	2"	1/4"	41.9
ILWSTCA05241FU00	27.32	18.19	7.48	8.11	5.00	27.44	4.02	6.50	4.02	1 ½"	0.43x0.98	1 ½"	2"	1/4"	50.7
ILWSTCA05361FU00	39.33	30.20	7.48	8.11	5.00	39.45	4.02	6.50	4.02	1 ½"	0.43x0.98	1 ½"	2"	1/4"	66.1
ILWSTCA05481FU00	51.34	42.17	7.48	8.11	5.00	51.42	4.02	6.50	4.02	1 ½"	0.43x0.98	1 ½"	2"	1/4"	77.2
ILWSTDA05241FU00	30.00	20.12	7.48	8.11	5.24	27.44	4.02	5.24	4.02	2"	0.51x0.75	1 ½"	2"	3/8"	44.1
ILWSTDA05361FU00	42.01	32.13	7.48	8.11	5.24	40.24	4.02	5.24	4.02	2"	0.51x0.75	1 ½"	2"	3/8"	66.1
ILWSTDA06241FU00	30.12	19.02	8.58	9.21	6.26	28.11	5.00	6.26	4.49	3"	0.51x0.75	2"	2"	3/8"	99.2
ILWSTDA06361FU00	42.13	30.98	8.58	9.21	6.26	40.24	5.00	6.26	4.49	3"	0.51x0.75	2"	2"	3/8"	125.7
ILWSTDA06481FU00	54.13	42.99	8.58	9.21	6.26	52.13	5.00	6.26	4.49	3"	0.51x0.75	2"	2"	3/8"	149.9
ILWSTDA08361FU00	45.24	30.75	11.30	12.20	8.62	41.89	7.01	8.27	5.75	4"	0.63x0.87	3"	3"	3/8"	200.6
ILWSTDA08481FU00	57.24	42.76	11.30	12.20	8.62	53.90	7.01	8.27	5.75	4"	0.63x0.87	3"	3"	3/8"	251.3
ILWSTDA08601FU00	69.25	54.76	11.30	12.20	8.62	65.91	7.01	8.27	5.75	4"	0.63x0.87	3"	3"	3/8"	302.0




This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application involvements the performance may also vary by +15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances cording to DIN ISO 2768-vL, General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3032-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any interior product properties: due to the wide-ranging possi

ONE PASS

Performance at 100SSU

1:1 Oil to Water Ratio-High Water Usage



Maximum Water Flow Rates 1 Pass										
size	[gpm]									
2"	13									
3"	24									
5" (0,20 in)	56									
5" (0.37 in)	65									
6"	120									
8"	220									


Oil Pressure Drop

- Most systems can tolerate a pressure drop through the heat exchanger of 1 to 2 Bar.
- Excessive pressure drop should be avoided.

@ asa technology, August 2024



TWO PASS



SAE Flange	Х	Υ	Z
1 ½"	1.42	2.76	M12
2"	1.69	3.07	M12
3"	2.44	4.17	M16

Dimension

order number	Α	В		;	D	Е	F	G	Н	I	J	K	1	-	М	V	weight
	[in]	[in]	Thread BSPP/ NPT [in]	Flange SAE [in]	Ø [in]	[in]	[in]	[in]	[in]	[in]	BSPP/ NPT	slot [in]	BSPP/ NPT	SAE	BSPP	[in]	[lbs]
ILWSTCA02082FU00	10.39	3.86	3.90	-	2.56	10.43	2.52	3.50	1.14	1.61	3/8"	0.35x0.63	3/4"	n/a	n/a	-	6.6
ILWSTCA02102FU00	12.40	5.87	3.90	-	2.56	12.44	2.52	3.50	1.14	1.61	3/8"	0.35x0.63	3/4"	n/a	n/a	-	8.8
ILWSTCA03082FU00	10.39	2.99	5.47	5.71	3.50	10.71	2.99	5.00	1.61	2.60	3/4"	0.43x0.75	1 ½"	1 ½"	1/4"	-	15.4
ILWSTCA03142FU00	16.18	8.98	5.47	5.71	3.50	16.69	2.99	5.00	1.61	2.60	3/4"	0.43x0.75	1 ½"	1 ½"	1/4"	-	19.8
ILWSTCA03182FU00	20.39	12.99	5.47	5.71	3.50	20.71	2.99	5.00	1.61	2.60	3/4"	0.43x0.75	1 ½"	1 ½"	1/4"	-	22.0
ILWSTCA03242FU00	26.18	18.98	5.47	5.71	3.50	26.69	2.99	5.00	1.61	2.60	3/4"	0.43x0.75	1 ½"	1 ½"	1/4"	-	26.5
ILWSTCA05182FU00	20.55	12.20	7.48	8.11	5.00	21.46	4.02	6.50	2.40	4.02	1"	0.43x0.98	1 ½"	2"	1/4"	-	41.9
ILWSTCA05242FU00	26.73	18.19	7.48	8.11	5.00	27.44	4.02	6.50	2.40	4.02	1"	0.43x0.98	1 ½"	2"	1/4"	-	48.5
ILWSTCA05362FU00	38.74	30.20	7.48	8.11	5.00	39.45	4.02	6.50	2.40	4.02	1"	0.43x0.98	1 ½"	2"	1/4"	-	66.1
ILWSTCA05482FU00	50.75	42.17	7.48	8.11	5.00	51.42	4.02	6.50	2.40	4.02	1"	0.43x0.98	1 ½"	2"	1/4"	-	77.2
ILWSTDA05242FU00	30.00	20.12	7.48	8.11	5.24	27.44	4.02	5.24	-	4.02	1 ½"	0.51x0.75	1 ½"	2"	3/8"	2.99	44.1
ILWSTDA05362FU00	42.01	32.13	7.48	8.11	5.24	40.24	4.02	5.24	-	4.02	1 ½"	0.51x0.75	1 ½"	2"	3/8"	2.99	66.1
ILWSTDA06242FU00	30.43	19.02	8.58	9.21	6.26	28.11	5.00	6.26	-	4.49	2"	0.51x0.75	2"	2"	3/8"	3.15	99.2
ILWSTDA06362FU00	42.44	30.98	8.58	9.21	6.26	40.24	5.00	6.26	-	4.49	2"	0.51x0.75	2"	2"	3/8"	3.15	125.7
ILWSTDA06482FU00	54.49	42.99	8.58	9.21	6.26	52.13	5.00	6.26	-	4.49	2"	0.51x0.75	2"	2"	3/8"	3.15	149.9
ILWSTDA08362FU00	45.24	30.75	11.30	12.20	8.62	41.89	7.01	8.27	-	5.75	2 ½"	0.63x0.87	3"	3"	3/8"	2.24	200.6
ILWSTDA08482FU00	57.24	42.76	11.30	12.20	8.62	53.90	7.01	8.27	-	5.75	2 ½"	0.63x0.87	3"	3"	3/8"	2.24	251.3
ILWSTDA08602FU00	69.25	54.76	11.30	12.20	8.62	65.91	7.01	8.27	-	5.75	2 ½"	0.63x0.87	3"	3"	3/8"	2.24	302.0



This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by +1.15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances for casted parts according to IDN 150 2768-v.l. General tolerances for casted parts according to IDN 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to IDN 150 2768-v.l. General tolerances for casted parts according to IDN 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to IDN 150 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to IDN 150 3002-1 (class M4F+C). The tolerances of welding seams are defined by quality group D


© asa technology, August 2024

asa**/**/

TWO PASS

Performance at 100SSU

2:1 Oil to Water Ratio-Medium Water Usage




Maximum Water Flow Rates 2 Pass									
size	[gpm]								
2"	6.1								
3"	11.9								
5" (0,20 in)	28.0								
5" (0.37 in)	32.0								
6"	60.0								
8"	109.9								

This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application in entering and application in testing and application in testing and application in testing and application in testing and application in the performance way also vary by +1.15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-V. General tolerances for casted parts according to ISO 3002-1 (class M4-F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. Any form of liability is excluded for the information included in this datasheet. The properties d



FOUR PASS



SAE Flange	Х	Υ	Z
1 ½"	1.42	2.76	M12
2"	1.69	3.07	M12
3"	2.44	4.17	M16

Dimension

Dimension																
order number	А	В	C		D	Е	F	G	Н	I	J	K	L		М	weight
	[in]	[in]	Thread BSPP/ NPT [in]	Flange SAE [in]	Ø [in]	[in]	[in]	[in]	[in]	[in]	BSPP/ NPT	slot [in]	BSPP/ NPT	SAE	BSPP	[lbs]
ILWSTCA_03084FU00	10.67	2.99	5.47	5.71	3.50	10.71	2.99	5.00	1.77	3.31	1/2"	0.43x0.75	1 ½"	1 ½"	1/4"	15.4
ILWSTCA03144FU00	16.65	8.98	5.47	5.71	3.50	16.69	2.99	5.00	1.77	3.31	1/2"	0.43x0.75	1 ½"	1 ½"	1/4"	19.8
ILWSTCA03184FU00	20.67	12.99	5.47	5.71	3.50	20.71	2.99	5.00	1.77	3.31	1/2"	0.43x0.75	1 ½"	1 ½"	1/4"	22.0
ILWSTCA03244FU00	26.65	18.98	5.47	5.71	3.50	26.69	2.99	5.00	1.77	3.31	1/2"	0.43x0.75	1 ½"	1 ½"	1/4"	26.5
ILWSTCA05184FU00	20.55	12.20	7.48	8.11	5.00	21.46	4.02	6.50	2.52	4.92	3/4"	0.43x0.98	1 ½"	2"	1/4"	41.9
ILWSTCA05244FU00	26.54	18.19	7.48	8.11	5.00	27.44	4.02	6.50	2.52	4.92	3/4"	0.43x0.98	1 ½"	2"	1/4"	50.7
ILWSTCA05364FU00	38.54	30.20	7.48	8.11	5.00	39.45	4.02	6.50	2.52	4.92	3/4"	0.43x0.98	1 ½"	2"	1/4"	66.1
ILWSTCA05484FU00	50.55	42.17	7.48	8.11	5.00	51.42	4.02	6.50	2.52	4.92	3/4"	0.43x0.98	1 ½"	2"	1/4"	77.2
ILWSTDA05244FU00	30.00	20.12	7.48	8.11	5.24	27.44	4.02	5.24	2.44	5.28	1"	0.51x0.75	1 ½"	2"	3/8"	44.1
ILWSTDA05364FU00	42.01	32.13	7.48	8.11	5.24	40.24	4.02	5.24	2.44	5.28	1"	0.51x0.75	1 ½"	2"	3/8"	66.1
ILWSTDA06244FU00	30.12	19.02	8.58	9.21	6.26	28.11	5.00	6.26	2.87	5.91	1 ½"	0.51x0.75	2"	2"	3/8"	99.2
ILWSTDA06364FU00	42.13	30.98	8.58	9.21	6.26	40.24	5.00	6.26	2.87	5.91	1 ½"	0.51x0.75	2"	2"	3/8"	125.7
ILWSTDA06484FU00	54.13	42.99	8.58	9.21	6.26	52.13	5.00	6.26	2.87	5.91	1 ½"	0.51x0.75	2"	2"	3/8"	149.9
ILWSTDA08364FU00	45.24	30.75	11.30	12.20	8.62	41.89	7.01	8.27	4.25	7.48	2"	0.63x0.87	3"	3"	3/8"	200.6
ILWSTDA08484FU00	57.24	42.76	11.30	12.20	8.62	53.90	7.01	8.27	4.25	7.48	2"	0.63x0.87	3"	3"	3/8"	251.3
ILWSTDA08604FU00	69.25	54.76	11.30	12.20	8.62	65.91	7.01	8.27	4.25	7.48	2"	0.63x0.87	3"	3"	3/8"	302.0




This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application involvements the performance may also vary by +15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances cording to DIN ISO 2768-vL, General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3032-1 (class M4F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any interior product properties: due to the wide-ranging possi

asa//

FOUR PASS

Performance at 100SSU

4:1 Oil to Water Ratio-Medium Water Usage



Maximum Water Flow Rates 4 Pass									
size	[gpm]								
2"	n/a								
3"	6.1								
5" (0,20 in)	14.0								
5" (0.37 in)	16.1								
6"	30.1								
8"	65.0								

This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application in entering and application in testing and application in the performance way also vary by +1.15%. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-V. General tolerances for casted parts according to SIO 3002-1 (class M4-F+C). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. Any form of liability is excluded for the information included in this

asa

Selection Procedure


Step 1 Thermal Duty Determination.

This will vary with different systems, but typically coolers are sized to remove 20% to 35% of the input nameplate hp.

Step 2 Determine Approach Temperature.

Desired oil leaving cooler = 122°F Water inlet temperature = 86°F

Desired oil leaving cooler °F – Water inlet temp. °F = Actual Approach 122°F – 86°F = 36°F



Step 3 Determine hp Curve Heat Load

hp heat load x $\frac{40}{\text{Actual approach}}$ x Viscosity Correction D = Curve hp Power

Step 4 Enter Curves

Enter the value of the hp Curve Heat Load on the vertical line oil flow on the cooling performance diagram (Pages 5, 7, 9), any curve above the intersecting point will work.

Step 5 Determine oil pressure drop

The values indicated in the diagram are valid for hydraulic oil with a viscosity of 100SSU (appr. ISO VG 32). Multiply the pressure drop by the Correction factor Fp according to the used hydraulic oil viscosity.

 $\circ = 5 PSI$

□ = 10 PSI

 $\Delta = 20 PSI$


This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dmensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by +1.15%. All sound values are determined in accordance with 1SO 9614-2. DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISN 1SO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any intrinsic product properties: due to the wider-anging possible applications, it is advised that all technical data herewith houded be confirmed through testing carried out by the end-user, as a technology

Customized to your applications

Apart from the actual application parameters, ambient conditions and scope of delivery, we offer customized heat exchanger solutions for many types of fluids. Please contact us with your specific requirements and make the most of our benefits such as expert consultation and accurate verification of the product against your system requirements.

your advantages:

- ✓ project management
- ✓ calculation and simulation
- ✓ verification on test bench
- ✓ procurement option system
- ✓ approved quality







be different. make a difference.











USA

asa hydraulik of America 160 Meister Avenue 20 A Branchburg, New Jersey 08876 Tel.: +1 800 473 94 00

Tel.: +1 800 473 94 00 Tel.: +1 908 541 15 00

sales_us@asahydraulik.com

AUSTRIA

asa technology Produktionsund Vertriebs GmbH Prager Strasse 280 A-1210, Vienna Tel.: +43 1 292 40 20 support@asabydraulik.com

AUSTRALIA

asa Products Pty Ltd Quinlan Road 23 3076 Epping, Victoria Tel.: +61 3 9397 6129 melbourne@asahydraulik.com

BRASII

asa hydraulik do Brasil Ltda. Rua Maria Fett 96 Bloco B Vila Mercedes, 03263000, Sao Paulo, SP Tel.: +55 11 9 8862-0022 sales brazil@asayhdraulik.com

CHINA

asa Hydraulik Technology (Suzhou) Co.Ltd 江苏省苏州市工业园区方洲路 128 号 6 区 B 幢 Area 6, Building B, Fangzhou Road No 128, Suzhou industrial park, Suzhou City, Jiangsu Province Tel.: +86 512 62381988 suzhou@asahydraulik.com

INDIA

asa heatexchanger Pvt Ltd Plot no.1226, Phase-3, GIDC, Vatva Ahmedabad - 382445 Tel.: +91 70 43907273 salesindia@asahydraulik.com